



ABS

EUROPE LIMITED

<i>Certificate No.:</i>	04-HS 458158-EC
<i>Entry Date:</i>	15 September 2004
<i>Name of Equipment/ Component Manufacturer:</i>	Superior Products International 10835 W. 78 th Street Shawnee Kansas 66214 USA Tel: +1-913-962-4848 Fax: +1-913-962-6767
<i>Equipment/Component:</i>	Coatings
<i>Model:</i>	Rust Grip
<i>Description:</i>	One-part polyurethane corrosion control coating that performs as a primer, topcoat or encapsulant for metal, concrete, masonry, wood, and most other surfaces. Registered with the EPA as an encapsulant of rust, lead-based paints, asbestos, and other bio-hazardous materials.
<i>Intended Service:</i>	Bulkhead, ceilings and decks in marine applications where compliance with IMO requirements for smoke and toxicity and low surface flammability are indicated.
<i>Ratings:</i>	Meets the SOLAS 1974 (as amended) requirements for paints/finish materials requiring compliance with Parts 2 (Smoke & Toxicity) and 5 (Surface Flammability) of the IMO FTP Code, Res.MSC.61(67).

Notified Body 0729





Standards:

European Union Marine Equipment Directive
96/98/EC as Amended by 2002/75/EC

IMO Res.MSC.61(67) Parts 2 & 5, IMO
Res.A.653(16)

Service Restrictions:

- 1) General shipboard and offshore use.
- 2) This product may not be used solely in order to provide A-Class, B-Class or F-Class fire resistance to coated surfaces where such classification is required, unless further testing has been performed and approval has been achieved.
- 3) This product may not be used in applications requiring intumescent coatings.

Comments:

- 1) Coating thickness - 6 mils (wet), 3 mils (dry).
- 2) Application and use are to be to the manufacturer's instructions and the limitations set forth herein.

Notified Body 0729





04-CH 458158-MED
CERTIFICATE NUMBER

Superior Products International
COMPANY

Shawnee, Kansas, USA
PLANT LOCATION

Chicago, USA
PORT OFFICE

ABS Quality Assessment Certificate

Notified Body 0729

Manufacturing Plant - Location: Shawnee, Kansas, USA

This is to certify that ABS Europe Ltd, as a Notified Body under the authorization of UK MCA by Merchant Shipping Equipment Regulation, SI 1999, No. 1957 and M Notice No. 1734, as amended, did undertake the relevant conformity assessment of the manufacturing plant listed and same was found to be in compliance with the provisions of these Regulations and EU Directive 96/98/EC of 20 December 1996 as amended by EU Directive 2002/75/EC of 2 September 2002

Reference should be made to EC Type Examination Certificate,
No: 04 HS 458158 EC Dated 15 September 2004

This certificate is issued in compliance with Conformity Assessment Module **D** of the Regulations and Directives listed above.



Marine and Coastguard Agency

The MCA is an Executive Agency
of the Department of Environment,
Transport and Regions.

15 September 2004
ISSUE DATE

14 September 2009
EXPIRATION DATE


SIGNATURE R.M. Bell



ABS EUROPE LIMITED

Certificate No.: 04-HS 458158-MED

Entry Date: 15 September 2004

**Name of Equipment/
Component Manufacturer:** Superior Products International
10835 W. 78th Street
Shawnee
Kansas
66214
USA

Tel: +1-913-962-4848
Fax: +1-913-962-6767

Equipment/Component: Coatings

Model: Rust Grip

Description: One-part polyurethane corrosion control coating that performs as a primer, topcoat or encapsulant for metal, concrete, masonry, wood, and most other surfaces. Registered with the EPA as an encapsulant of rust, lead-based paints, asbestos, and other bio-hazardous materials.

Intended Service: Bulkhead, ceilings and decks in marine applications where compliance with IMO requirements for smoke and toxicity and low surface flammability are indicated.

Ratings: Meets the SOLAS 1974 (as amended) requirements for paints/finish materials requiring compliance with Parts 2 (Smoke & Toxicity) and 5 (Surface Flammability) of the IMO FTP Code, Res.MSC.61(67).

Notified Body 0729



729.1

Standards:

European Union Marine Equipment Directive
96/98/EC as Amended by 2002/75/EC

IMO Res.MSC.61(67) Parts 2 & 5, IMO
Res.A.653(16)

The manufacturer is allowed to affix the U.S. Coast
Guard approval number 164.112/0729/458158 as
allowed by the "Agreement between the European
Community and the United States of America on
Mutual Recognition of Certificates of Conformity
for Marine Equipment" signed February 27th, 2004

Service Restrictions:

- 1) General shipboard and offshore use.
- 2) This product may not be used solely in order to provide A-Class, B-Class or F-Class fire resistance to coated surfaces where such classification is required, unless further testing has been performed and approval has been achieved.
- 3) This product may not be used in applications requiring intumescent coatings.

Comments:

- 1) Coating thickness - 6 mils (wet), 3 mils (dry).
- 2) Application and use are to be to the manufacturer's instructions and the limitations set forth herein.

Notified Body 0729

