

**THERMAL ANALYSIS  
FOR SUPERIOR PRODUCTS  
INTERNATIONAL II INC.  
ON RUST GRIP 4- 6 MILS  
VTEC #100-2678  
TESTED: MAY 15, 2007**



# VTEC Laboratories Inc.

May 15, 2007

Client: Superior Products International II  
10835 W. 78th Street  
Shawnee, KS 66214

Attn: J. E. Pritchett

## PROCEDURE:

The thermal analysis was determined in a NETZSCH STA 409 PC/PG unit under flowing N<sub>2</sub> (flow rate 100 mL/min) at a scan rate of 20°K per minute from 20°C to 1000°C.

## RESULTS:


The results are contained on the following pages.

Neil Schultz  
Executive Director

Amirudin Rahim  
Technical Director

**Disclaimer:** This is a factual report of the results obtained from the laboratory test of sample products. The results may be applied only to the products tested and should not be construed as applicable to other similar products of the manufacturer. The report is not a recommendation or disapprobation by VTEC Laboratories, Inc. of the material tested. While this report may be used for obtaining product acceptance, it may not be used in advertising.

**Notice:** VTEC Laboratories Inc. will not be liable for any loss or damage resulting from the use of the data in this report, in excess of the invoice. This report pertains to the sample tested only. Such report shall not be interpreted to be a warranty, either expressed or implied as to the suitability or fitness of said sample for such uses or applications, as the party contracting for the report may apply such sample.



Preferred Customer

Instrument:	NETZSCH STA 409 PC/PG	Sample:	RUST GRIP 4-6 mils, 16.000 mg	Mode/Type of Meas.:	DSC-TG / Sample
File:	rustgrip.ssv	Reference:	Al2O3,0.000 mg	Segments:	1/1
Project:	100-28xx	Material:		Crucible:	DSC/TG pan Al2O3
Identity:	RUST GRIP 4-6 mils	Correction File:		Atmosphere:	Nitrogen/100 / ---
Date/Time:	5/15/2007 4:31:11 PM	Temp.Cal./Sens. Files:	Tcalzero.tcx / Senszero.exe	TG Corr./M.Range:	000/30000 mg
Laboratory:	VTEC	Range:	20.0/20.00(K/min)/1000.0	DSC Corr./M.Range:	000/5000 uV
Operator:	Jerry	Sample Cor./TC:	DSC(TG) HIGH RG 2 / S	Remark:	